

# Stainless Steel Flexible Chimney Liner



WOOD



GAS



OIL



# Stainless Steel Flexible Chimney Liner

Flex is the most premier and high performance Stainless Steel Chimney liner available.

## Specifications

- Flex Liner Material – .006 316 Stainless Steel
- Regular all-fuel SS Liner available in 4" – 8" diameters
- Pellet Kits available in 3" and 4" diameters
- Standard Flex Kit Lengths – 25' and 35'
- Clearances – 0" between liner and masonry chimney interior with the insulation wrap
- Can be installed on gas, oil, or wood appliances
- Insulation – Wraps available in 10' lengths
- Listed To ULC–S635, in Canada and UL 1777 in USA
- Limited Lifetime Warranty

## FLEX LINER INSTALLATIONS



## KITS

### Complete Standard Liner Kit



- All fuel 316 stainless steel chimney liner
- UL 1777 and ULC–S635 Listed
- Kit includes Chimney Liner, Tee with End Cap, Flashing, and Rain Cap
- Integrated hose clamps allow easy assembly, no adapters or fasteners



| Product No. | Part No. | Size     | Pack |
|-------------|----------|----------|------|
| 194100      | 4MF25KT  | 4" X 25' | 1    |
| 194101      | 4MF35KT  | 4" X 35' | 1    |
| 195102      | 5MF25KT  | 5" X 25' | 1    |
| 195103      | 5MF35KT  | 5" X 35' | 1    |
| 196104      | 6MF25KT  | 6" X 25' | 1    |
| 196105      | 6MF35KT  | 6" X 35' | 1    |
| 197106      | 7MF25KT  | 7" X 25' | 1    |
| 197107      | 7MF35KT  | 7" X 35' | 1    |
| 198108      | 8MF25KT  | 8" X 25' | 1    |
| 198109      | 8MF35KT  | 8" X 35' | 1    |

# Stainless Steel Flexible Chimney Liner

## Complete Smoothwall Standard Liner Kit



- All fuel 316 stainless steel chimney liner
- UL 1777 and ULC–S635 Listed
- Kit includes Chimney Liner, Tee with End Cap, Flashing, and Rain Cap
- Integrated hose clamps allow easy assembly, no adapters or fasteners
- Higher BTU capacity
- Smooth inner wall creates superior draft performance

| Product No. | Part No. | Size     | Pack |
|-------------|----------|----------|------|
| 194152      | 4MF25KTS | 4" X 25' | 1    |
| 194153      | 4MF35KTS | 4" X 35' | 1    |
| 195154      | 5MF25KTS | 5" X 25' | 1    |
| 195155      | 5MF35KTS | 5" X 35' | 1    |
| 196156      | 6MF25KTS | 6" X 25' | 1    |
| 196157      | 6MF35KTS | 6" X 35' | 1    |
| 197158      | 7MF25KTS | 5" X 25' | 1    |
| 197159      | 7MF35KTS | 5" X 35' | 1    |
| 198160      | 8MF25KTS | 8" X 25' | 1    |
| 198161      | 8MF35KTS | 8" X 35' | 1    |

## Insert Basic Liner Kit



- All fuel 316 stainless steel chimney liner
- UL 1777 and ULC–S635 Listed
- Kit includes Chimney Liner, Flashing, Stove Adapter, and Rain Cap
- Integrated hose clamps allow easy assembly, no adapters or fasteners

| Product No. | Part No. | Size       | Pack |
|-------------|----------|------------|------|
| 195110      | 5MF25IK  | 5" X 25'   | 1    |
| 195111      | 5MF35IK  | 5" X 35'   | 1    |
| 1955112     | 55MF25IK | 5.5" X 25' | 1    |
| 1955113     | 55MF35IK | 5.5" X 35' | 1    |
| 196114      | 6MF25IK  | 6" X 25'   | 1    |
| 196115      | 6MF35IK  | 6" X 35'   | 1    |

# Stainless Steel Flexible Chimney Liner

## Insert Smoothwall Basic Liner Kit



- All fuel 316 stainless steel chimney liner
- UL 1777 and ULC-S635 Listed
- Kit includes Chimney Liner, Flashing, Stove Adapter, and Rain Cap
- Integrated hose clamps allow easy assembly, no adapters or fasteners
- Higher BTU capacity
- Smooth inner wall creates superior draft performance

| Product No. | Part No.  | Size       | Pack |
|-------------|-----------|------------|------|
| 195162      | 5MF25IKS  | 5" X 25'   | 1    |
| 195163      | 5MF35IKS  | 5" X 35'   | 1    |
| 1955164     | 55MF25IKS | 5.5" X 25' | 1    |
| 1955165     | 55MK35IKS | 5.5" X 35' | 1    |
| 196166      | 6MF25IKS  | 6" X 25'   | 1    |
| 196167      | 6MF35IKS  | 6" X 35'   | 1    |

## Pellet Kit



- All fuel 316 stainless steel chimney liner
- UL 1777 Listed
- Kit includes Chimney Liner, Tee with Cap, Flashing, and Rain Cap
- Integrated hose clamps allow easy assembly, no adapters or fasteners
- Kit uses short body pellet tee for easy installation to pellet appliance

| Product No. | Part No. | Size     | Pack |
|-------------|----------|----------|------|
| 193116      | 3MF25PK  | 3" X 25' | 1    |
| 193117      | 3MF35PK  | 3" X 35' | 1    |
| 194118      | 4MF25PK  | 4" X 25' | 1    |
| 194119      | 4MF35PK  | 4" X 35' | 1    |

## Insulation Wrap Kit



- 10 ft. Kit includes foil-backed insulation, wire mesh, wire and aluminum tape
- Reduces heat loss to maintain high flue temperatures
- A requirement for UL 1777 – allows for reduced clearance to combustibles (see installation instructions for details)
- For 3" and 4" liners use 5" insulation wrap

| Size | Product No. | Part No. | Pack |
|------|-------------|----------|------|
| 5"   | 195120      | 5RF10I   | 1    |
| 6"   | 196120      | 6RF10I   | 1    |
| 7"   | 197120      | 7RF10I   | 1    |
| 8"   | 198120      | 8RF10I   | 1    |

# Stainless Steel Flexible Chimney Liner

## PARTS & ACCESSORIES

### Stainless Flex Length Liner



- Flex liner is available in .006" thick steel which is thicker and stronger than .005" steel.

| Product No. | Part No.  | Size       | Pack |
|-------------|-----------|------------|------|
| 194168      | 4MF25SFL  | 4" X 25'   | 1    |
| 194169      | 4MF35SFL  | 4" X 35'   | 1    |
| 195170      | 5MF25SFL  | 5" X 25'   | 1    |
| 195171      | 5MF35SFL  | 5" X 35'   | 1    |
| 1955172     | 55MF25SFL | 5.5" X 25' | 1    |
| 1955173     | 55MF35SFL | 5.5" X 35' | 1    |
| 196174      | 6MF25SFL  | 6" X 25'   | 1    |
| 196175      | 6MF35SFL  | 6" X 35'   | 1    |
| 197176      | 7MF25SFL  | 7" X 25'   | 1    |
| 197177      | 7MF35SFL  | 7" X 35'   | 1    |
| 198178      | 8MF25SFL  | 8" X 25'   | 1    |
| 198179      | 8MF35SFL  | 8" X 35'   | 1    |



### Stainless Flex Length Smoothwall Liner



- Smoothwall Liner that has superior flexibility with a high BTU capacity
- Its smooth interior allows for more airflow, reducing drag by 20% over traditional corrugated liners
- Smoothwall is made from 2-ply 316 stainless steel which makes it ideal for any application

| Product No. | Part No.   | Size       | Pack |
|-------------|------------|------------|------|
| 194180      | 4MF25SFLS  | 4" X 25'   | 1    |
| 194181      | 4MF35SFLS  | 4" X 35'   | 1    |
| 195182      | 5MF25SFLS  | 5" X 25'   | 1    |
| 195183      | 5MF35SFLS  | 5" X 35'   | 1    |
| 1955184     | 55MF25SFLS | 5.5" X 25' | 1    |
| 1955185     | 55MF35SFLS | 5.5" X 35' | 1    |
| 196186      | 6MF25SFLS  | 6" X 25'   | 1    |
| 196187      | 6MF35SFLS  | 6" X 35'   | 1    |
| 197188      | 7MF25SFLS  | 7" X 25'   | 1    |
| 197189      | 7MF35SFLS  | 7" X 35'   | 1    |
| 198190      | 8MF25SFLS  | 8" X 25'   | 1    |
| 198191      | 8MF35SFLS  | 8" X 35'   | 1    |

# Stainless Steel Flexible Chimney Liner

## Fixed Elbow

- Stainless steel adjustable and fixed elbows are available in 4"– 8" diameters
- Elbows are used for rigid and outside diameter "OD" flex pipe or for inside diameter "ID" flex pipe in a multitude of degrees



### 30 DEGREE ELBOW

| Product No. | Part No. | Size | Pack |
|-------------|----------|------|------|
| 194131      | 4MFFE30  | 4"   | 1    |
| 195132      | 5MFFE30  | 5"   | 1    |
| 196133      | 6MFFE30  | 6"   | 1    |
| 197134      | 7MFFE30  | 7"   | 1    |
| 198135      | 8MFFE30  | 8"   | 1    |



### 45 DEGREE ELBOW

| Product No. | Part No. | Size | Pack |
|-------------|----------|------|------|
| 194136      | 4MFFE45  | 4"   | 1    |
| 195137      | 5MFFE45  | 5"   | 1    |
| 196138      | 6MFFE45  | 6"   | 1    |
| 197139      | 7MFFE45  | 7"   | 1    |
| 198140      | 8MFFE45  | 8"   | 1    |

### 90 DEGREE ELBOW

| Product No. | Part No. | Size | Pack |
|-------------|----------|------|------|
| 194141      | 4MFFE90  | 4"   | 1    |
| 195142      | 5MFFE90  | 5"   | 1    |
| 196143      | 6MFFE90  | 6"   | 1    |
| 197144      | 7MFFE90  | 7"   | 1    |
| 198145      | 8MFFE90  | 8"   | 1    |



## Flex Tee

- Tee Cap not included



| Product No. | Part No. | Size | Pack |
|-------------|----------|------|------|
| 194212      | 4MFFT    | 4"   | 1    |
| 195213      | 5MFFT    | 5"   | 1    |
| 196214      | 6MFFT    | 6"   | 1    |
| 197226      | 7MFFT    | 7"   | 1    |
| 198216      | 8MFFT    | 8"   | 1    |

## Pellet Tee

- Tee Cap not included



| Product No. | Part No. | Size | Pack |
|-------------|----------|------|------|
| 193210      | 3MFPT    | 3"   | 1    |
| 194211      | 4MFPT    | 4"   | 1    |


# Stainless Steel Flexible Chimney Liner

## Tee Cap




| Product No. | Part No. | Size | Pack |
|-------------|----------|------|------|
| 194217      | 4MFTC    | 4"   | 1    |
| 195218      | 5MFTC    | 5"   | 1    |
| 196219      | 6MFTC    | 6"   | 1    |
| 197220      | 7MFTC    | 7"   | 1    |
| 198221      | 8MFTC    | 8"   | 1    |

## Flashing



| Product No. | Part No. | Size | Small     | Large     | Pack |
|-------------|----------|------|-----------|-----------|------|
| 194192      | 4MFFS    | 4"   | 13" X 13" |           | 1    |
| 194193      | 4MFFL    | 4"   |           | 18" X 18" | 1    |
| 195194      | 5MFFS    | 5"   | 13" X 13" |           | 1    |
| 195195      | 5MFFL    | 5"   |           | 18" X 18" | 1    |
| 1955196     | 55MFFS   | 5.5" | 13" X 13" |           | 1    |
| 1955197     | 55MFFL   | 5.5" |           | 18" X 18" | 1    |
| 196198      | 6MFFS    | 6"   | 13" X 13" |           | 1    |
| 196199      | 6MFFL    | 6"   |           | 18" X 18" | 1    |
| 197225      | 7MFFS    | 7"   | 13" X 13" |           | 1    |
| 197201      | 7MFFL    | 7"   |           | 18" X 18" | 1    |
| 198202      | 8MFFS    | 8"   | 13" X 13" |           | 1    |
| 198203      | 8MFFL    | 8"   |           | 18" X 18" | 1    |


## Rain Cap



| Product No. | Part No. | Size | Pack |
|-------------|----------|------|------|
| 194204      | 4MFRC    | 4"   | 1    |
| 195205      | 5MFRC    | 5"   | 1    |
| 1955206     | 55MFRC   | 5.5" | 1    |
| 196207      | 6MFRC    | 6"   | 1    |
| 197208      | 7MFRC    | 7"   | 1    |
| 198209      | 8MFRC    | 8"   | 1    |

# Stainless Steel Flexible Chimney Liner

## Top Kit Extension



- The Top Kit Extension is a rigid section that can be used to extend the height of your flex liner system
- The extension attaches the EZ top plate and the rain cap
- Manufactured in 24ga 304 stainless steel with an EZ clamp for easy connection

| Product No. | Part No. | Size | Length | Pack |
|-------------|----------|------|--------|------|
| 195126      | 5MFTKE   | 5"   | 24"    | 1    |
| 1955127     | 55MFTKE  | 5.5" | 24"    | 1    |
| 196128      | 6MFTKE   | 6"   | 24"    | 1    |
| 197129      | 7MFTKE   | 7"   | 24"    | 1    |
| 198130      | 8MFTKE   | 8"   | 24"    | 1    |

## Flex Connector



- Used to attach two separate flex liner lengths together

| Product No. | Part No. | Size | Pack |
|-------------|----------|------|------|
| 194120      | 4MFFC    | 4"   | 1    |
| 195121      | 5MFFC    | 5"   | 1    |
| 1955122     | 55MFFC   | 5.5" | 1    |
| 196123      | 6MFFC    | 6"   | 1    |
| 197124      | 7MFFC    | 7"   | 1    |
| 198125      | 8MFFC    | 8"   | 1    |

## Stove Adapter



- Attaches flex liner to the outlet collar of a stove appliance

| Product No. | Part No. | Size | Pack |
|-------------|----------|------|------|
| 195222      | 5MFSA    | 5"   | 1    |
| 1955223     | 55MFSA   | 5.5" | 1    |
| 196224      | 6MFSA    | 6"   | 1    |

## Pulling Cone



- As an installation aide, the cone is used to guide and protect the flexible liner when it is lowered into the masonry chimney

| Product No. | Part No. | Size | Pack |
|-------------|----------|------|------|
| 194146      | 4MFPC    | 4"   | 1    |
| 195147      | 5MFPC    | 5"   | 1    |
| 1955148     | 55MFPC   | 5.5" | 1    |
| 196149      | 6MFPC    | 6"   | 1    |
| 197150      | 7MFPC    | 7"   | 1    |
| 198151      | 8MFPC    | 8"   | 1    |







# All Chimney Systems Are Not Created Equal.



**Flexible Aluminum  
Chimney Liners**



**Stainless Steel  
Rigid Liners**



**Ultimate Pellet Pipe**



**UltimateOne™**  
ALL-FUEL CHIMNEY FOR HEARTH PROFESSIONALS



**Double Wall  
DCC Stove Pipe**



**Direct Vent Pipe  
for Gas, Pellet, or Multi-Fuel**



**Selkirk Canada Corporation**  
375 Green Road  
Stoney Creek, On L8E4A5  
Toll Free: 1.888.SELKIRK (735.5475)  
cscanada@selkirkcorp.com



**selkirkcorp.com**

**Selkirk Corporation**  
5030 Corporate Exchange Blvd. SE  
Grand Rapids, MI 49512  
Toll Free: 1.800.433.6341  
info@selkirkcorp.com  
www.selkirkcorp.com